

标准品一览表 Standard Ratings

U _R (Surge Voltage) Code (V)	Rated Cap. (μF)	Max ESR 20°C 120Hz (mΩ)	Type ESR 20°C 120Hz (mΩ)	Rated ripple current 105°C 120Hz (Arms)	Size ΦD×L (mm)	U _R (Surge Voltage) Code (V)	Rated Cap. (μF)	Max ESR 20°C 120Hz (mΩ)	Type ESR 20°C 120Hz (mΩ)	Rated ripple current 105°C 120Hz (Arms)	Size ΦD×L (mm)
16 (20) 1C	6800	98	68	1.6	22x25	50 (63) 1H	1800	221	155	1.31	22x25
	8200	81	57	1.80	25x25		2200	181	127	1.45	22x30
	10000	66	46	1.99	22x30		2700	147	103	1.7	22x30
		66	46	1.99	25x25		3300	147	103	1.7	25x25
	12000	55	39	2.28	22x35			121	84	1.98	22x35
		55	39	2.3	25x30		121	84	2	25x30	
		55	39	2.38	30x25		3900	102	72	2.25	22x40
	15000	44	31	2.64	22x40			102	72	2.28	25x35
		44	31	2.68	25x35		102	72	2.22	30x25	
	18000	37	26	2.98	22x45		85	59	2.56	22x45	
		37	26	3.04	25x40		85	59	2.58	30x30	
		37	26	3	30x30		85	59	2.67	35x25	
		37	26	3.1	35x25		5600	71	50	2.89	22x50
	22000	30	21	3.4	25x45			71	50	2.81	25x40
		30	21	3.39	30x35		71	50	2.95	25x35	
	27000	25	17	3.81	25x50		59	41	3.37	25x50	
		25	17	3.83	30x40		59	41	3.39	30x40	
		25	17	3.74	35x30		59	41	3.31	35x30	
	33000	20	14	4.3	30x45		8200	49	34	3.71	30x45
		20	14	4.24	35x35			49	34	3.66	35x35
39000	17	12	4.74	30x50	10000	40	28	4.09	30x50		
	17	12	4.72	35x40		40	28	4.07	35x40		
25 (32) 1E	47000	14	10	5.27	35x45	12000	33	23	4.5	35x45	
	4700	113	79	1.55	22x25	1200	221	155	1.25	22x25	
	5600	95	66	1.70	25x25	1500	177	124	1.39	22x25	
		78	55	1.91	22x30	1800	147	103	1.52	22x30	
	6800	78	55	1.91	25x25	2200	147	103	1.52	25x25	
		65	45	2.14	22x35		121	84	1.73	22x35	
	8200	65	45	2.16	25x30	121	84	1.75	25x30		
		65	45	2.25	30x25	98	69	1.97	22x40		
		53	37	2.4	22x40	98	69	1.99	25x35		
	10000	53	37	2.44	25x35	98	69	1.93	30x25		
		44	31	2.69	22x45	3300	80	56	2.32	22x50	
	44	31	2.74	25x40	80		56	2.27	25x40		
	12000	44	31	2.7	30x30		80	56	2.24	30x30	
		44	31	2.8	35x25		80	56	2.41	35x25	
	15000	35	25	3.15	25x45	3900	68	48	2.54	25x45	
		35	25	3.13	30x35		68	48	2.55	30x35	
		35	25	3.22	35x30	4700	57	40	2.88	25x50	
	18000	30	21	3.54	25x50		57	40	2.9	30x40	
		30	21	3.54	30x40	57	40	2.83	35x30		
	22000	24	17	4.24	30x45	5600	47	33	3.28	30x45	
24		17	3.96	35x35	47		33	3.24	35x35		
27000	20	14	4.75	35x45	6800	39	27	3.73	30x50		
	33000	16	11	5.39		35x50	39	27	3.71	35x40	
35 (44) 1V	3300	141	99	1.43	22x25	8200	32	23	4.16	35x45	
	3900	119	83	1.65	22x30	10000	27	19	4.69	35x50	
	4700	99	69	1.78	25x25	820	324	227	1.11	22x25	
		83	58	2.02	22x35	1000	265	186	1.25	22x25	
		83	58	2.04	25x30	1200	221	155	1.39	22x30	
	83	58	2.12	30x25	221		155	1.39	25x25		
	6800	68	48	2.28	22x40	1500	177	124	1.61	22x35	
		68	48	2.31	25x35		177	124	1.62	25x30	
	8200	57	40	2.67	22x50	1800	147	103	1.83	22x40	
		57	40	2.6	25x40		147	103	1.81	30x25	
		57	40	2.56	30x30	2200	121	84	2.09	22x45	
		57	40	2.78	35x25		121	84	2.01	25x35	
	10000	46	33	2.92	25x45	121	84	2.1	30x30		
		46	33	2.92	30x35	121	84	2.17	35x25		
	12000	39	27	3.26	25x50	2700	98	69	2.43	25x45	
		39	27	3.28	30x40		98	69	2.43	30x35	
	15000	39	27	3.2	35x30	3300	80	56	2.76	25x50	
		31	22	3.74	30x45		80	56	2.78	30x40	
	18000	31	22	3.69	35x35	3900	80	56	2.71	35x30	
		26	18	4.16	35x40		68	48	3.12	30x45	
22000	21	15	4.92	35x50	68	48	3.07	35x35			
					57	40	3.56	30x50			
					57	40	3.5	35x40			
					5600	47	33	3.87	35x45		
					6800	39	27	4.19	35x50		

Snap-in

标准品一览表 Standard Ratings

U _R (Surge Voltage) Code (V)	Rated Cap. (μF)	Max ESR 20°C 120Hz (mΩ)	Type ESR 20°C 120Hz (mΩ)	Rated ripple current 105°C 120Hz (Arms)	Size ΦD×L (mm)	U _R (Surge Voltage) Code (V)	Rated Cap. (μF)	Max ESR 20°C 120Hz (mΩ)	Type ESR 20°C 120Hz (mΩ)	Rated ripple current 105°C 120Hz (Arms)	Size ΦD×L (mm)
100 (125) 2A	560	474	332	1.07	22x25	200 (250) 2D	220	905	633	1.08	22x25
	680	391	274	1.20	22x30		330	603	422	1.3	22x30
	820	324	227	1.35	22x30		390	603	422	1.35	25x25
		324	227	1.35	25x25			510	357	1.41	22x35
	1000	265	186	1.54	22x35		470	424	296	1.5	22x40
		265	186	1.56	25x30			424	296	1.47	25x30
	1200	221	155	1.74	22x40			424	296	1.56	30x25
		221	155	1.76	25x35		560	355	249	1.58	22x45
		221	155	1.71	30x25			355	249	1.60	25x35
	1500	177	124	1.99	22x45		680	293	205	1.78	22x50
		177	124	2.03	25x40			293	205	1.8	25x40
		177	124	2	30x30			293	205	1.82	30x30
		177	124	2.07	35x25			293	205	1.86	35x25
	1800	147	103	2.28	25x45		820	243	170	1.97	25x50
		147	103	2.27	30x35			243	170	1.99	30x35
		121	84	2.57	25x50			243	170	2.07	35x30
	2200	121	84	2.59	30x40		1000	199	139	2.17	30x45
		121	84	2.52	35x30			199	139	2.22	35x35
		98	69	2.94	30x45			1200	166	116	2.32
	98	69	2.9	35x35	166		116		2.42	35x40	
3300	80	56	3.32	30x50	1500	133	93	2.59	35x45		
	80	56	3.31	35x40		1800	111	77	2.7	35x50	
3900	68	48	3.69	35x45	2200	91	63	3.23	35x60		
4700	57	40	4.14	35x50	250 (300) 2E	180	1106	774	0.94	22x25	
330	603	422	1.16	22x25		220	905	633	1.1	22x30	
390	510	357	1.43	22x30		270	905	633	1.15	25x25	
470	424	296	1.52	22x35			737	516	1.13	22x35	
	424	296	1.55	25x25		330	603	422	1.2	22x40	
560	355	249	1.62	22x40			603	422	1.3	25x30	
	355	249	1.73	25x30		390	603	422	1.3	30x25	
680	293	205	1.7	22x45			510	357	1.41	22x45	
	293	205	1.81	25x35		510	357	1.42	25x35		
	293	205	1.82	30x25			424	296	1.48	22x50	
820	243	170	1.91	22x50		470	424	296	1.47	25x40	
	243	170	1.98	25x40			424	296	1.51	30x30	
	243	170	1.98	30x30			424	296	1.50	35x25	
	243	170	1.93	35x25			560	355	249	1.59	25x45
1000	199	139	2.04	25x45		355		249	1.57	30x35	
	199	139	2.14	30x35		680	355	249	1.56	35x30	
1200	166	116	2.12	25x50			293	205	1.66	25x50	
	166	116	2.22	30x40		293	205	1.68	30x40		
	166	116	2.4	35x30		820	243	170	1.83	30x45	
1500	133	93	2.46	30x45			243	170	1.82	35x35	
	133	93	2.53	35x35	1000	199	139	1.87	30x50		
1800	111	77	2.98	35x45		199	139	1.99	35x40		
2200	91	63	3.1	35x50	1200	166	116	2.1	35x45		
2700	74	51	3.92	35x60	1500	133	93	2.7	35x50		
3300	60	42	4.63	35x70	1800	111	77	2.92	35x60		
160 (200) 2C	270	737	516	1.08	22x25	315 (365) 2F	100	1990	1095	0.61	22x25
	330	603	422	1.3	22x30		120	1659	912	0.68	22x30
	390	510	357	1.35	25x25		150	1327	730	0.76	22x35
	470	424	296	1.5	22x35			1327	730	0.78	25x25
		424	296	1.62	25x30		180	1106	608	0.78	22x40
	560	355	249	1.62	22x40			1106	608	0.85	25x30
		355	249	1.69	25x35		220	905	498	0.91	22x45
		355	249	1.67	30x25			905	498	0.94	25x35
	680	293	205	1.76	22x50			905	498	0.95	30x30
		293	205	1.72	25x40			270	737	406	0.98
		293	205	1.74	30x30		737		406	1.00	25x40
	293	205	1.92	35x25	737		406		0.98	30x35	
	820	243	170	1.78	25x45		330	603	332	1.13	25x45
		243	170	1.85	30x35			603	332	1.13	30x40
	1000	199	139	1.91	25x50		390	510	281	1.20	30x45
		199	139	2.01	30x40			510	281	1.20	35x30
		199	139	2.16	35x30		470	424	233	1.28	35x35
	1200	166	116	2.19	30x45			560	355	196	1.46
		166	116	2.34	35x35		680	293	161	1.85	35x45
	1500	133	93	2.36	30x50		820	242	133	2.1	35x50
133		93	2.56	35x40	1000	199	109	2.42	35x55		
1800	111	77	2.67	35x45							
2200	91	63	3.4	35x55							
2700	74	52	4	35x65							

Snap-in

标准品一览表 Standard Ratings

U _R (Surge Voltage) Code (V)	Rated Cap. (μF)	Max ESR 20°C 120Hz (mΩ)	Type ESR 20°C 120Hz (mΩ)	Rated ripple current 105°C 120Hz (Arms)	Size ΦD×L (mm)
350 (400v) 2V	68	2927	1610	0.56	22x25
	82	2427	1262	0.56	22x25
	100	1990	1095	0.7	22x30
		1990	1095	0.7	25x25
	120	1659	912	0.73	22x35
		1327	730	0.79	22x40
		1327	730	0.82	25x30
	150	1327	730	0.82	30x25
		1106	608	0.81	22x45
		1106	608	0.89	25x35
	180	1106	608	0.9	30x30
		905	498	0.93	22x50
		905	498	0.97	25x40
	220	905	498	0.98	35x25
		737	406	1.01	25x50
		737	406	1.05	30x35
	270	737	406	1.01	35x30
		603	332	1.16	30x45
		603	332	1.16	35x35
	390	510	281	1.26	30x50
510		281	1.26	35x40	
470	424	233	1.35	35x45	
560	355	961	1.51	35x50	
680	293	161	1.92	35x55	
820	242	133	2.25	35x60	
1000	199	109	2.5	35x60	
400 (450) 2G	68	2927	1522	0.47	22x25
	82	2427	1262	0.56	22x30
		2427	1262	0.56	25x25
	100	1990	1035	0.62	22x30
		1659	863	0.66	22x35
	120	1659	863	0.68	25x30
		1659	863	0.70	30x25
		1327	690	0.73	22x40
	150	1327	690	0.73	25x35
		1106	575	0.78	22x45
	180	1106	575	0.82	25x40
		1106	575	0.83	30x30
		905	471	0.87	25x45
	220	905	471	0.96	30x35
		737	383	0.94	25x50
		737	383	0.95	30x40
	270	737	383	0.91	35x30
		603	314	1.11	30x45
		603	314	1.13	35x35
	390	510	265	1.15	30x50
510		265	1.26	35x40	
470	424	220	1.31	35x45	
560	355	185	1.5	35x50	
680	293	153	1.9	35x55	
820	242	126	2.2	35x60	
	242	126	2.2	40x50	
1000	199	109	2.6	35x75	
	199	109	2.6	40x60	
420 (470) 2X	68	3903	1951	0.5	22x25
	82	3237	1618	0.6	22x30
	100	2654	1327	0.65	22x35
		2212	1106	0.7	22x40
	120	2212	1106	0.72	25x30
		1769	885	0.75	22x45
	150	1769	885	0.8	25x35
		1474	737	0.85	25x40
	180	1474	737	0.85	30x30
		1206	603	0.9	25x45
	220	1206	603	0.96	30x35
		983	492	1.05	25x50
	270	983	492	1.06	30x40
		804	402	1.14	30x45
	330	804	402	1.2	35x35
		804	402	1.2	35x35
420 (470) 2X	390	681	340	1.25	30x50
	470	681	340	1.26	35x40
		565	282	1.31	35x45
	560	473	237	1.5	35x50
	680	391	196	1.9	35x55
	820	324	162	2.2	35x60
	56	4739	2370	0.47	22x25
		3903	1951	0.56	22x30
	68	3903	1951	0.56	25x25
		3237	1618	0.64	22x35
	100	2654	1327	0.7	22x40
		2654	1327	0.7	25x30
	120	2212	1106	0.73	22x45
		2212	1106	0.73	25x35
	150	1769	885	0.80	22x50
		1769	885	0.82	25x40
		1769	885	0.83	30x30
	180	1474	737	0.87	25x45
		1474	737	0.86	30x35
	220	1206	603	0.94	25x50
1206		603	0.95	30x40	
270	1206	603	0.91	35x30	
	983	492	1.11	30x45	
330	983	492	1.13	35x35	
	804	402	1.15	30x50	
390	804	402	1.26	35x40	
	681	340	1.31	35x45	
470	565	282	1.5	35x50	
560	473	237	1.7	35x55	
680	391	196	2.0	35x60	
820	391	196	2.0	40x50	
	324	162	2.2	35x65	
1000	324	162	2.3	40x60	
	265	139	2.6	35x75	
450 (500) 2W	47	5647	2823	0.41	22x30
	56	4739	2370	0.47	22x30
	68	3903	1951	0.54	22x35
	82	3237	1618	0.62	22x40
		3237	1618	0.62	25x30
	100	2654	1327	0.67	22x45
		2654	1327	0.67	25x35
	120	2212	1106	0.77	22x50
		2212	1106	0.74	25x40
		2212	1106	0.77	30x30
	150	1769	885	0.82	25x45
		1769	885	0.85	30x40
		1769	885	0.85	35x35
	180	1474	737	0.98	25x50
		1474	737	1.01	30x45
	220	1206	603	1.12	30x50
1206		603	1.12	35x35	
270	983	492	1.25	30x50	
	983	492	1.25	35x40	
330	804	402	1.36	35x45	
390	681	340	1.54	35x50	
470	565	282	1.69	35x60	
560	473	237	1.9	35x65	
680	391	196	2.2	35x70	
500 (550) 2H	180	1474	737	1.06	30x50
	220	1474	737	1.06	35x35
		1206	603	1.18	30x55
	270	1206	603	1.18	35x40
		983	492	1.31	35x45
	330	804	402	1.5	35x50
	390	681	340	1.67	35x60
	470	565	282	1.95	35x70
560	473	237	2.1	35x80	
550 (600) 2Y	560	473	237	2.1	40x70
	180	1474	737	1.06	30x50
		1474	737	1.06	35x35
	220	1206	603	1.18	30x55
		1206	603	1.18	35x40
	270	983	492	1.31	35x45
	330	804	402	1.5	35x50
	390	681	340	1.67	35x60
470	565	282	1.95	35x70	
560	473	237	2.1	35x80	

可根据客户需要定制产品 Customer products are available on request.

Snap-in